

IN THE CLAIMS

Please amend the claims to read as follows:

Listing of Claims

1. (Previously Presented) A powder applicator including:
a reservoir for powder,
a porous membrane tensioned over said reservoir,
a storage section that stores a portion of said powder in
the vicinity of said membrane, communicating with said reservoir,
said storage section including a very open synthetic foam pad
between said reservoir and said membrane, and

a first grid disposed between said reservoir and said pad,
wherein:

said porous membrane is formed of a synthetic foam which is
much less open than the foam forming said pad.

2. (Canceled).

3. (Withdrawn) The powder applicator claimed in claim 1
wherein said first grid is domed and its concave side faces said
reservoir.

4. (Withdrawn) The powder applicator claimed in claim 1 including a second grid mounted to rotate relative to said first grid between a service position in which orifices of said grids face each other and a storage position in which said orifices are offset relative to each other.

5. (Withdrawn) The powder applicator claimed in claim 4 wherein said first grid is domed and its concave side faces said reservoir and said second grid is domed and espouses the shape of said first grid.

6. (Withdrawn) The powder applicator claimed in claim 4 wherein said orifices of at least one of said grids have a section that diminishes in the direction from said reservoir toward said pad.

7. (Withdrawn) The powder applicator claimed in claim 4 including a ring with an inside edge adapted to clamp the periphery of said membrane against one of said grids.

8. (Withdrawn) The powder applicator claimed in claim 1 including a ring with an inside edge adapted to clamp the periphery of said membrane against said pad.

9. (Withdrawn) The powder applicator claimed in claim 8 wherein said membrane has a portion covering the edge of the face of said pad that faces said reservoir.

10. (Withdrawn) The powder applicator claimed in claim 8 wherein said pad has a groove receiving said inside edge of said ring.

11. (Withdrawn) The powder applicator claimed in claim 7 wherein said ring is conformed to conceal the connection region between said membrane and said reservoir.

12. (Withdrawn) The powder applicator claimed in claim 1 wherein the peripheral face of said pad is at least partly covered by an envelope made of a synthetic foam that is harder than the foam forming said pad.

13. (Withdrawn) The powder applicator claimed in claim 8, wherein:

the peripheral face of said pad is at least partly covered by an envelope made of a synthetic foam that is harder than the foam forming said pad, and

said envelope has a groove receiving the interior edge of said ring.

14. (Withdrawn) The powder applicator claimed in claim 10 wherein:

the peripheral face of said pad is at least partly covered by an envelope made of a synthetic foam that is harder than the foam forming said pad, and

said envelope is interrupted at said groove.

15. (Withdrawn) The powder applicator claimed in claim 12 wherein said envelope is set back relative to the face of said pad that is against said membrane.

16. (Original) The powder applicator claimed in claim 1 wherein said pad is machined to a mushroom shape.

17. (Withdrawn) The powder applicator claimed in claim 16 wherein:

the peripheral face of said pad is at least partly covered by an envelope made of a synthetic foam that is harder than the foam forming said pad, and

said envelope is conformed to espouse said mushroom shape of said pad.

18. (Original) The powder applicator claimed in claim 1 wherein an exterior wall of said membrane is flocked.

19. (Original) The powder applicator claimed in claim 1 wherein said membrane has pores with an average diameter of the order of 0.1 mm distributed at the rate of approximately 130 pores per centimeter.

20. (Original) The powder applicator claimed in claim 1 wherein said pad has pores with an average diameter of the order of 2 mm distributed at the rate of approximately eight pores per centimeter.

21. (Withdrawn) The powder applicator claimed in claim 12 including a ring with an inside edge adapted to clamp the periphery of said membrane against said pad and wherein said envelope has a groove receiving the interior edge of said ring.

22. (Withdrawn) The powder applicator claimed in claim 12 wherein said pad has a groove receiving said inside edge of said ring and said envelope is interrupted at said groove.

23. (New) The powder applicator of claim 12 wherein the first grid comprises a plurality of orifices.